

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

November 5, 2012
Advisory Issue Date

City of Atlanta
City/County

December 5, 2012
Advisory Close Date

BV-060-12-24
Control Number

Eleanor Terrace Sanitary Sewer Replacement
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 4220 International Parkway, Suite 101, Atlanta, Georgia 30354.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.
Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.
Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7
Basis under which variance shall be considered {391-3-7.05 (2)(A-J)}: C & D

Description and Location of Proposed Activity:

The applicant proposes to impact 234 linear feet of an unnamed tributary to Sandy Creek to repair an existing 8" sanitary sewer line using the open cut method or pipe bursting method. The majority of the 719 linear feet of impact for sewer replacement will be conducted through the pipe bursting method, Included in the 234 linear feet of impacts is contractor access and pipe bursting launch and retrieval pits.

Name and Address of Permit Applicant:

Mr. Lou Rouselle
City of Atlanta
Department of Watershed Management
Bureau of Engineering Services
72 Marietta St. 5th Floor
Atlanta, Georgia 30303

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
4220 International Parkway, Suite 101
Atlanta, Georgia 30354
Telephone: 404/675-6240
FAX: 404/675-6245

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

November 5, 2012
Advisory Issue Date

City of Macon
City/County

December 5, 2012
Advisory Close Date

BV-011-12-03
Control Number

Georgia Academy For the Blind Improvements
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 4220 International Parkway, Suite 101, Atlanta, Georgia 30354.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.
Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.
Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7
Basis under which variance shall be considered {391-3-7.05 (2)(A-J)}: H

Description and Location of Proposed Activity:

The applicant proposes to impact 368 linear feet of buffer along Bowman Creek to pipe and fill the stream to provide additional play area, improving safety for the special needs students, and protect the foundation of the existing Health Services building. Project is located on Vineville Ave. off GA 19 in the City of Macon.

Name and Address of Permit Applicant:

Ms. Raquel Clement
Georgia State Financing and Investment Commission
270 Washington St.
Second Floor
Atlanta, Georgia 30334

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
4220 International Parkway, Suite 101
Atlanta, Georgia 30354
Telephone: 404/675-6240
FAX: 404/675-6245

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

October 31, 2012
Advisory Issue Date

Columbus/Muscogee
City/County

November 30, 2012
Advisory Close Date

BV-106-12-03
Control Number

Eastern Connector Phase III
GDOT Project #STP00-8042-00(006)
PI #350850
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 4220 International Parkway, Suite 101, Atlanta, Georgia 30354.

Type of Permit Application:

Variance to encroach within the 25-foot
State waters buffer.

Applicable Law:

Georgia Erosion and Sedimentation Act
O.C.G.A. 12-7-1 et seq.

Applicable Rules:

Erosion and Sedimentation Control
Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(a-k)}: h

Description and Location of Proposed Activity:

Application is for impacts to 135 linear feet (6,750 sq ft) of buffer to Stream 14b (unnamed tributary to Bull Creek) for stream filling necessary to construct the roadway. This project is proposed from Buena Vista Rd/Schatulga Rd intersection to south of Chattsworth Rd/Lynch Rd intersection in Columbus-Muscogee County.

Name and Address of Permit Applicant:

Mr. Glenn Bowman
Georgia Department of Transportation
Office of Environmental Services
600 W. Peachtree Street, NW, 16th Floor
Atlanta, Georgia 30308

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Catherine Samay, Environmental Specialist
EPD, Water Protection Branch
NonPoint Source Program
4220 International Parkway, Suite 101
Atlanta, Georgia 30354
Telephone: 404/675-6240
FAX: 404/675-6245

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

October 31, 2012
Advisory Issue Date

/Cherokee
City/County

November 30, 2012
Advisory Close Date

BV-028-12-03
Control Number

Intersection Improvement at SR 20 & SR 108/Upper Sweetwater Trail
GDOT Project #STP00-0012-01(112)
PI #662650
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 4220 International Parkway, Suite 101, Atlanta, Georgia 30354.

Type of Permit Application:

Variance to encroach within the 25-foot State waters buffer.

Applicable Law:

Georgia Erosion and Sedimentation Act
O.C.G.A. 12-7-1 et seq.

Applicable Rules:

Erosion and Sedimentation Control
Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(a-k)}: a

Description and Location of Proposed Activity:

Application is for impacts to 179 linear feet (2,640 sq ft) of buffer to Stream 1 (unnamed tributary to Sweetwater Creek) for wall construction, clearing, grading and associated BMPs necessary for the intersection improvement. This project is proposed on SR 20 and SR 108 in Cherokee County.

Name and Address of Permit Applicant:

Mr. Glenn Bowman
Georgia Department of Transportation
Office of Environmental Services
600 W. Peachtree Street, NW, 16th Floor
Atlanta, Georgia 30308

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Catherine Samay, Environmental Specialist
EPD, Water Protection Branch
NonPoint Source Program
4220 International Parkway, Suite 101
Atlanta, Georgia 30354
Telephone: 404/675-6240
FAX: 404/675-6245

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

October 30, 2012
Advisory Issue Date

Dalton/
City/County

November 29, 2012
Advisory Close Date

BV-155-12-03
Control Number

Interchange Reconstruction I-75 at US 41/US 76/SR 3 (Rocky Face)
GDOT Project #NHS00-0000-00(931)
PI #000931
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 4220 International Parkway, Suite 101, Atlanta, Georgia 30354.

Type of Permit Application:

Variance to encroach within the 25-foot
State waters buffer.

Applicable Law:

Georgia Erosion and Sedimentation Act
O.C.G.A. 12-7-1 et seq.

Applicable Rules:

Erosion and Sedimentation Control
Chapter 391-3-7

Basis under which variance shall be considered (391-3-7.05 (2)(a-k)): a & h

Description and Location of Proposed Activity:

Application is for impacts to 1,256 linear feet (49,111 sq ft) of buffer to McLellan Creek (Stream 4), Streams 6, 8, 8a, 11, Pond 12 (unnamed tributaries to McLellan Creek) and Stream 14 (unnamed tributary to Mill Creek) for clearing, grading, channel relocation, channel filling, construction activities and associated BMPs necessary for the interchange reconstruction. This project is proposed at the interchange of I-75 and US 41/US 76/SR 3 (Rocky Face) in the city of Dalton (Whitfield County).

Name and Address of Permit Applicant:

Mr. Glenn Bowman
Georgia Department of Transportation
Office of Environmental Services
600 W. Peachtree Street, NW, 16th Floor
Atlanta, Georgia 30308

Summary of Rules Requirements for Variance Application:

The application for a variance must include an approved Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Catherine Samay, Environmental Specialist
EPD, Water Protection Branch
NonPoint Source Program
4220 International Parkway, Suite 101
Atlanta, Georgia 30354
Telephone: 404/675-6240
FAX: 404/675-6245

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

October 30, 2012
Advisory Issue Date

/Hall
City/County

November 29, 2012
Advisory Close Date

BV-069-12-02
Control Number

GWAR Landfill Expansion
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 4220 International Parkway, Suite 101, Atlanta, Georgia 30354.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.
Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.
Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-K)}: H
Description and Location of Proposed Activity:

The proposed project involves buffer encroachments necessary to expand the operational capacity of an existing construction and demolition (C&D) landfill and composting operation. The project also includes the removal of improperly disposed of solid wastes that were deposited in an unlined historic landfill. Activities will include the construction of additional waste disposal cells, stormwater management areas and associated access roads. The project will require permanent impacts (pipe/fill) to 1,532 linear feet of buffer along an unnamed tributary to Allen Creek.

Name and Address of Permit Applicant:

Mr. Ken Cronan
Gainesville Waste & Recycling, LLC
1602 Athens Highway
Gainesville, Georgia 30507

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Michael Berry, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
4220 International Parkway, Suite 101
Atlanta, Georgia 30354
Telephone: 404/675-6240
FAX: 404/675-6245

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

October 29, 2012
Advisory Issue Date

Gwinnett County
City/County

November 28, 2012
Advisory Close Date

BV-067-12-10
Control Number

Collins Hill Golf Club-Dam and Pond Repair/Streambank Restoration
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 4220 International Parkway, Suite 101, Atlanta, Georgia 30354.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.

Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.

Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7

Basis under which variance shall be considered {391-3-7.05 (2)(A-J)}: A & B

Description and Location of Proposed Activity:

Applicant proposes to impact 2,803 linear feet of buffer along two ponds of Wildcat Creek and Wildcat Creek to repair an existing failed dam on the West Pond, restore the pond banks, and to restore portions of Wildcat Creek and tributaries with natural stabilization methods to improve water quality and to prevent further erosion, Project is located at the Collins Hill Golf Club on Camp Perrin Road.

Name and Address of Permit Applicant:

Mr. Pete Wright
Gwinnett County Department of Water Resources
684 Winder Highway
Lawrenceville, Georgia 30045

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact:

Peggy Chambers, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
4220 International Parkway, Suite 101
Atlanta, Georgia 30354
Telephone: 404/675-6240
FAX: 404/675-6245

ENVIRONMENTAL PROTECTION DIVISION
PUBLIC ADVISORY
WATERSHED PROTECTION BRANCH

October 29, 2012
Advisory Issue Date

Whitfield County
City/County

November 30, 2012
Advisory Close Date

BV-155-12-02
Control Number

Streambank Stabilization/1810 Wood Valley Drive
Activity

This advisory is issued to inform the public of a receipt of an Application for a variance submitted pursuant to a state environmental Law. The public is invited to comment during the 30-day period on the proposed activity. Since the EPD has no authority to zone property or determine land use, only those comments addressing environmental issues related to air, water, and land protection will be considered in the application review process. Written comments should be submitted to: Program Manager, NonPoint Source Program, Erosion and Sedimentation Control, 4220 International Parkway, Suite 101, Atlanta, Georgia 30354.

Type of Permit Application: Variance to encroach within the 25-foot State waters buffer.
Applicable Law: Georgia Erosion and Sedimentation Act O.C.G.A. 12-7-1 et seq.
Applicable Rules: Erosion and Sedimentation Control Chapter 391-3-7
Basis under which variance shall be considered {391-3-7.05 (2)(A-J)}: A

Description and Location of Proposed Activity:

Applicant proposes to impact 150 linear feet of buffer along along McLellan Creek to stabilize the streambanks on private residential property to prevent continued erosion. Project is located at 1810 Woody Valley Drive.

Name and Address of Permit Applicant:

Ms. Charlotte Griggs
1810 Wood Valley Drive
Dalton, Georgia 30720

Summary of Rules Requirements for Variance Application:

The application for a variance must include an Erosion and Sediment Control Plan with control measures based on sound conservation and engineering practices which meet or exceed the standards in the "Manual for Erosion and Sediment Control in Georgia" and which will minimize erosion and deposition of sediments on adjacent lands or into State waters.

For Additional Information Contact: Peggy Chambers, Environmental Specialist
EPD, Watershed Protection Branch
NonPoint Source Program
4220 International Parkway, Suite 101
Atlanta, Georgia 30354
Telephone: 404/675-6240
FAX: 404/675-6245